


Key Concepts

- Add raw data sets to the **Data Sets Tree** (bottom-left), or, add pre-calculated data to existing visualizations (see [Workflow](#)).
- The **Data Sets Tree** contains sets of one or more variables (*variable sets*); the *structure* of a variable set determines how it is analyzed.
- Create tables and other analyses using options in **Ribbon > Insert** or by dragging variables sets from the **Data Sets Tree** (bottom-left) onto the page.
- Press **Ribbon > Home > New Page** to create new pages. Drag and drop pages to organize documents. Folders are created by dragging pages onto other pages.
- Pages and other objects can be hidden from exports by selecting them and clicking **Ribbon > Appearance > Hide**.
- Arbitrary calculations are performed using **Ribbon > Insert > R Outputs** (see [Extracting results from tables using R Outputs](#)).
- Modify objects by clicking on them and either
 - Directly manipulating them (e.g., moving or resizing them).
 - Modifying more commonly used options in the **Ribbon** (top of the screen).
 - Modifying options in the **Object Inspector** (right-side of the screen).
- Trace any calculation back to the original data by hovering over the data input and pressing the  that appears in the preview window.
- Use **Ribbon > Export** to publish the document as a web page, PDF, PowerPoint, or Excel file.

1. Plan your dashboard

Create a detailed plan for the dashboard (e.g., by prototyping slides in PowerPoint). It should show all the pages you want to create and the layout on each of those pages.

2. Design and layout

(Optional) Get a graphic artist to create a color palette, style guide, and images as PNGs and JPEGs
[Dashboard Design: Working with a Graphic Designer](#)

(Optional) Perform more advanced customizations using via the CSS
[Customizing Logos, Icons, CSS, HTML Headers, and Language in Displayr](#)

3. Create a document

[Log in to Displayr](#) and click **+ Add New** (If using in conjunction with Q, see [Using Q Projects in Displayr](#))

Add and modify text, shapes and images: **Ribbon > Insert > Text and images** and **Appearance**

Create folders by dragging pages on top of other pages

4. Hook up visualizations to data: there are four flows

Flow A: Type in data

- **Ribbon > Insert > Visualization**
- **Object Inspector > Inputs > DATA SOURCE > Paste or type data**

Flow B: Insert Pre-Calculated Tables

- **Ribbon > Insert > Paste Table**
- **Extract results from tables using R Outputs**
- **Ribbon > Insert > Visualization**
- **Object Inspector > Inputs > DATA SOURCE: Outputs in 'Pages'**

Flow C: Analyze imported data sets (raw data)

- **+ Add a data set**
- **Create a table (Tables)**
- **Extract results from tables using R Outputs**
- **Ribbon > Insert > Visualization**
- **Object Inspector > Inputs > DATA SOURCE: Outputs in 'Pages' or Variables in 'Data'**

Flow D: Live updating

Either **Flow B** or **Flow C**, except with [Updating with Revised Data](#)

5. Duplicate

Create something, and press **Home > Duplicate**, and modify the input data. You can apply this to everything from a text box through to a whole report.

6. Export

Ribbon > Export > Excel, PDF, Private Web Page, Public Web Page

When exporting to a web page, the resulting dashboard is seen by the viewer in *view mode*.

Prevent items from being exported by selecting them and pressing **Ribbon > Appearance > Hide**

7. Filters for clients


Select the variables(s) in the **Data Tree** and click **Insert > Utilities > Filtering > Create Filters from Selected Data**

8. Create navigation

Set hyperlinks to text, shapes, images, and charts: **Insert > Hyperlink**

Hide the navigation bar (pages) from view mode by clicking the bottom of **Export > Private Web Page** and checking **Hide Navigation Pane**

9. User management

Press  (top left of Displayr) > **Company Settings**, press **Expand** (only if this option is available at the bottom of the page), and **+ New User**.

To allocate a license to a user, go to **Licenses** tab and press **Professional user > Add** (to buy a new license) or **Professional user > Assign** (to assign an existing license to that user).

To create groups of users (with access to different documents), press **+ New Group**

To assign user access to individual document, go to the Documents page, hover over your document and click **Settings**, then go to **Properties** and modify which use groups have access to the document (**Authorized for...**) and individual pages in the document (**Set tab-based access to document**)

10. Updating with revised data

A. Manual updating of a data set

Click on the data set in the **Data Sets Tree**, and press **Update** in the **Object Inspector**

B. Manual updating of a table/ visualization

Click on the table or visualization and click **Object Inspector > Inputs > DATA SOURCE > Edit Data**

C. Automatic updating via SQL

Data Sets Tree > + Add a data set > SQL > specify Automatically refresh every

D. Automatic updating via URL

Data Sets Tree > + Add a data set > URL > specify Automatically refresh every

E. Automatic updating of R Outputs

Ribbon > Insert > R Output


`flipTime::UpdateEvery`
[Automatically Updating R Outputs, R Variables, and R Data Sets](#)



F. Automatic updating of R Outputs

Data Sets Tree > + Add a data set > R

G. API

If you have program-ing skills, you can write code to update using the [API](#)

<p>Tables</p> <p>Note that one of the main ways of modifying a table is to change the data in the table, and when this is done all other tables using the same data will also change (see Manipulating tables)</p>	<p><i>Summary tables</i></p>	<p>Drag dragging from the Data Sets Tree onto the page</p>	
	<p><i>Crosstabs</i></p>	<p>Create <i>crosstabs</i> by dragging a variable set from the Tree and releasing it on the Columns slot of an table</p>	
	<p><i>Duplicate a table</i></p>	<p>Ribbon > Home > Duplicate</p>	
	<p><i>Changing the data</i></p>	<p>Object Inspector > Inputs > DATA</p>	
	<p><i>View additional statistics</i></p>	<p>Object Inspector > Inputs > STATISTICS</p>	
	<p><i>Multitway table (layers)</i></p>	<p>Ribbon > Insert > More > Tables > Multitway Table</p>	
<p><i>Create lots of tables</i></p>	<p>Ribbon > Insert > Report</p>		

<p>Manipulating tables</p> <p>If a table is created by dragging variables sets from the Data Sets Tree, the categories of the table can be manipulated by dragging and dropping, and the changes apply to all other analyses based on the variable sets.</p>	<p><i>Merging categories</i></p>	<p>Click on the row or column name on a table and drag , or, select all the categories to be merged and press Ribbon > Data Manipulation > Merge</p>
	<p><i>Creating NETs</i></p>	<p>Select the categories and press the Ribbon > Data Manipulation > Create NET</p>
	<p><i>Sorting/Re-ordering categories</i></p>	<p>Click on the row or column name on a table and drag , or, Ribbon > Data Manipulation > Sort</p>
	<p><i>Removing a category and/or rebasing</i></p>	<p>Click on the variable set in the Data Sets Tree and press Object Inspector > Properties > DATA VALUES > Missing values</p>
	<p><i>Switch between % and averages as main statistics on a table</i></p>	<p>Click on the variable set in the Data Sets Tree and change the Object Inspector > Properties > INPUTS > Structure (see Variable Set Structures)</p>


<p>Weights and filters</p> <p>Weights and filters can be applied to the entire project or to selected tables and plots.</p> <p>Where visualizations and R Outputs are created from tables, weights need to be applied to the source table.</p>	<p><i>Use existing variables as filters/weights</i></p>	<p>Select the variable in the Data Sets Tree and press Object Inspector > Properties > GENERAL > Usable as a filter or Usable as a weight</p>
	<p><i>Create new weights or filters manually</i></p>	<p>Ribbon > Insert > New Filter or New Weight</p>
	<p><i>Apply weights and filters</i></p>	<p>Weights and filters can be created and applied from the Inputs tab of the Object Inspector when a page, table, or other output is selected.</p>
	<p><i>Create complicated weights and filters</i></p>	<p>Ribbon > Insert > New R/JavaScript (Variable) > Numeric and press Object Inspector > Properties > GENERAL > Usable as a filter</p>
	<p><i>Apply filters and weights to an object</i></p>	<p>Click on the object: Object Inspector > Inputs > WEIGHTS/FILTERS</p>
	<p><i>Show sample size on page</i></p>	<p>Ribbon > Insert > More (Analysis) > Data > Sample Size Description</p>
	<p><i>Linking filters to controls</i></p>	<p>How to Connect Filters to a Combo Box (Control) Combo Boxes (Controls) With Dynamic Lists in Displayr</p>
<p><i>Weights and filters in R Code</i></p>	<p>The filter variable is called <code>QFilter</code> and the weights can be used as either <code>QPopulationWeight</code>, which contains the raw weight, or <code>QCalibratedWeight</code>, which sums to the effect sample size computed using Kish's approximation</p>	



<p>Extracting results from tables using R Outputs</p> <p>R Outputs are general-purpose outputs, which can contain text, tables, and visualizations. Code is used to determine their contents.</p> <p>A common use case for R Outputs is to contain results from a larger table.</p>	<p><i>Creating an R Output</i></p>	<p>Ribbon > Insert > R Output, enter code in R CODE, and click Automatic</p>
	<p><i>Finding the name of a table</i></p>	<p>Click on the table: Object Inspector > Properties > General > Name</p>
	<p><i>Extracting a value from a one-dimensional table</i></p>	<p>For example, to extract the result for Males from a table containing gender data: <code>table.Gender["Male"]</code> or, if the males are in the second cell of the table: <code>table.Gender[2]</code></p>
	<p><i>Extracting a value from a two-dimensional table</i></p>	<p>For example, to extract the result for Males aged 35 to 44: <code>table.Gender.by.Age["Male", "35 to 44"]</code></p>
<p><i>Extracting ranges of data from a table</i></p>	<p>For example, to extract the result for Males for columns 2 through 4: <code>table.Gender.by.Age["Male", 2:4]</code></p>	

<p>Variables</p> <p>Tables, visualizations, and analyses take variables and <i>variable sets</i> as inputs. A variable set is a set of one or more variables.</p> <p>Displayr automatically groups variables into variable sets when data sets are imported.</p>	<p><i>Split a variable set into individual variables</i></p>	<p>Click on the variable set in the Data Sets Tree and press Ribbon > Data Manipulation > Split (Variables)</p>
	<p><i>Combine individual variables into a variable set</i></p>	<p>Click on the variables in the Data Sets Tree and press Ribbon > Data Manipulation > Combine (Variables)</p>
	<p><i>Change the structure of a variable set</i></p>	<p>Click on the variable set in the Data Sets Tree and press Object Inspector > Properties > INPUTS > Structure (see Variable Set Structures)</p>
	<p><i>Recode the values of a variable set (including missing values)</i></p>	<p>Click on the variable and review Object Inspector > Properties > VALUES > Labels, Values, Missing Values</p>
	<p><i>Create a new variable</i></p>	<p>Ribbon > Insert > New R or New JavaScript</p>
	<p><i>Recode into a different variable</i></p>	<p>Select the original variable and press Ribbon > Home > Duplicate and then see <i>Recode the values of a variable set</i></p>
<p><i>Banding/categorizing a numeric variable</i></p>	<p>Ribbon > Insert > New R (Variable) > Numeric Variable with R CODE of <code>cut(VARIABLE.NAME, 2)</code> to create two categories, then set Object Inspector > Properties INPUTS > Structure to Nominal</p>	



- ❓ When you are stuck, click on whatever you are trying to modify and:
 - Click the **Suggestions** which pop up in the top right corner of the screen
 - Look around the **Ribbon**
 - Look around the **Object Inspector**: it has multiple tabs and groups to be expanded
- ❓ Read our [wiki](#) and our [blog](#)
- ❓ If writing R code, hover your mouse over code to see additional documentation, use google, and read the warnings and errors that appear above the **Object Inspector**
- ❓ Click on any errors and warnings in the **Pages Tree** and the **Data Set Tree**
- ❓ Contact us: support@displayr.com

What to do when the data in a table looks wrong		
Check the sample size of a table	When you create a table, the sample size is shown at the bottom of the page.	Brand attitude SUMMARY sample size = from 180 to 292; total sample size = 327; 147 missing; 95% confidence level
Check count and sample size		Object Inspector > Inputs > STATISTICS > Cells > Count or Sample Size
Check the variable set structure	Click on the input variables in the Data Sets Tree, and review Object Inspector > Properties > INPUTS > Structure (see Variable Set Structures)	
Check that the appropriate Filter and Weight have been applied	Select the output, then check Object Inspector > Inputs > FILTERS & WEIGHT	
Review the value attributes of the input variable(s)	Click on the variable and review the options in Object Inspector > Properties > DATA VALUES	
View the raw data	See Viewing raw data	
Review how the input variables have been constructed	Click on the variable and review its R CODE or JAVASCRIPT CODE in the Object Inspector > Properties	
If using Q: In Q check that the correct Rules are applied and, try and remove the rules	If a rule has been applied, a pink Rules tab will appear bottom of the table. Control when applied using the dropdowns	Table Rules at the Apply
If using Q: In Q, check if empty rows/columns are hidden (Q users only; in Q)	Check to see if  is depressed (this hides empty rows and columns)	

What to do when a visualization looks wrong		
Check the source data	Click on the visualization, hover over the data inputs (Object Inspector > Inputs > DATA SOURCE), and click the  to go to the input or inputs.	
View the data table	See What to do when the data in a table looks wrong	Set Object Inspector > Inputs > OUTPUT > Chart type to Table
Modify the data manipulation settings	If the data table looks wrong, but the inputs look correct, check the settings in Object Inspector > Inputs > DATA MANIPULATION , ROW MANIPULATIONS , and COLUMN MANIPULATIONS	

Viewing raw data		
Viewing the raw data for a variable set	Drag the variable onto the page, and in the Object Inspector set Inputs > DATA > Columns to RAW DATA	
Seeing raw data for lots of variables in Excel	<ol style="list-style-type: none"> 1. Select Ribbon > Insert > More > Tables > Raw Data 2. Select the desired variables in Object Inspector > Inputs > Variables 3. Click Automatic. 4. Select Ribbon > Export > Excel 5. Click Export and open in Excel 	
Viewing the raw data for multiple variables	Insert > More (Analysis) > Tables > Raw Data and select the Variables and check Automatic	

When you create a table in Displayr from data stored in a *data set*, the way the table appears is determined by the *structure* of the *variable set* (group of variables). Each variable set is represented as a folder in the Data Sets Tree. Each *structure* is represented by an icon. Structures are set automatically when importing data and can be modified in the Object Inspector.

Structure	Description	Example																
Text	A single variable containing text (or, numeric data that is interpreted as text)	What is your name? _____																
Nominal	A single variable that contains unordered, mutually exclusive, and exhaustive categories (i.e., has a nominal measurement scale)	Gender categories: Male, Female, Unknown																
Ordinal	A single variable that contains ordered, mutually exclusive, and exhaustive categories (i.e., has an ordinal measurement scale).	Age categories: Under 18, 18 to 24, 25 to 29, 29 to 54, 54 or more																
Numeric	A numeric variable (i.e., <i>interval</i> or <i>ratio</i> scale).	The amount of money in a bank account.																
Date /Time	A numeric variable where the values represent times and/or dates. It contains the number of milliseconds since 1/1/1970.	What is your date of birth? ____ / ____ / 19____																
Text – Multi	A set of related text variables.	First Name, Last Name, and Street Address																
Binary – Multi	A set of related nominal variables, where each value only takes two non-missing values (perhaps after merging categories).	Which of the following have you bought in the past week? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta																
Nominal – Multi	Multiple related nominal variables.	Which meal did you eat most recently at... <table border="0"> <thead> <tr> <th></th> <th>Breakfast</th> <th>Lunch</th> <th>Dinner</th> </tr> </thead> <tbody> <tr> <td>McDonald's</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> <tr> <td>Burger King</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> <tr> <td>Wendy's</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> </tbody> </table>		Breakfast	Lunch	Dinner	McDonald's	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Burger King	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Wendy's	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Breakfast	Lunch	Dinner															
McDonald's	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
Burger King	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
Wendy's	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
Ordinal – Multi	A set of related ordinal variables (The icon is the same as for Nominal – Multi.)	Please rate your satisfaction with the following airlines: <table border="0"> <thead> <tr> <th></th> <th>Low</th> <th>Med</th> <th>High</th> </tr> </thead> <tbody> <tr> <td>United</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> <tr> <td>British Airways</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> <tr> <td>Qantas</td> <td><input type="radio"/></td> <td><input type="radio"/></td> <td><input type="radio"/></td> </tr> </tbody> </table>		Low	Med	High	United	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	British Airways	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Qantas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Low	Med	High															
United	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
British Airways	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
Qantas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>															
Number – Multi	A set of related numeric variables measured on the same scale.	Balance of Savings Account, Balance of Credit Card, Balance of Home Loan																
Binary Multi – Grid	This is a generalization of a Binary – Multi, where the variables can be ordered in two dimensions.	Which of these brands are cool? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta Which of these brands are young? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta Which of these brands are sexy? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta																
Number – Grid	This is a generalization of a Number – Multi, where the variables can be ordered in two dimensions.	In the past month, how many <i>economy flights</i> did you take on... Qantas ___ United ___ Delta ___ ...and how many <i>business class flights</i> did you take on... Qantas ___ United ___ Delta ___																
Ranking	A set of related numeric variables that represent a ranking, where the highest number is most preferred, and ties are permitted.	Rank the following brands according to how much you like them... Coke ___ Pepsi ___ Fanta ___																
Binary – Multi (Compact)	The same underlying data as Binary - Multi, except that is stored as a Nominal – Multi and the unique values correspond to underlying binary variables. For example, in data storing people's car model ownership, rather than having a binary variable for each model of car, instead the first variable represents peoples first care, the second variable is for their second car, etc. This format should only be used to represent data where it provides massive data storage gains, as it is generally difficult to manipulate and cannot accommodate the notion of missing data well.																	
Experiment	This structure is used to represent the various types of experiments, from randomized experiments ("Fully randomized experiments" through to "Conjoint Analysis" and "Choice Modeling")	Which of these would you buy? <table border="1"> <tbody> <tr> <td>Coke \$2.00 Can</td> <td>Pepsi \$4.20 Bottle</td> <td>Fanta \$3.20 Flask</td> </tr> </tbody> </table>	Coke \$2.00 Can	Pepsi \$4.20 Bottle	Fanta \$3.20 Flask													
Coke \$2.00 Can	Pepsi \$4.20 Bottle	Fanta \$3.20 Flask																